



REF: AMERICAN PUBLIC WORKS ASSOCIATION - SOUTHERN CALIFORNIA CHAPTER

DRAWN NJG	CURB DRAIN	DATE 4/13/94
CHECKED NSH		SCALE NONE
APPR. <i>R. Jensen</i>	USE WITH STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION	REVISED 1992
DEPT. PUBLIC WORKS	CITY OF BUENA PARK	STD-214 1 OF 2

NOTES

1. IF THE TOE OF SLOPE IS ALLOWED WITHIN THE R/W. INLET CASE I BEGINS AT THE TOE RATHER THAN THE R/W LINE.
2. FOR OPEN DITCH (CASE INLET III). THE 2' EXTENSION BEYOND THE R/W LINE IS NOT REQUIRED WHEN BACK OF WALK IS 2' OR MORE FROM THE R/W LINE. HOWEVER, PIPE SHALL EXTEND TO R/W LINE.
3. TOP OF INLET STRUCTURE (CASE I AND II) TO BE FLUSH WITH ADJACENT SURFACE WHERE PRACTICABLE.
4. CONSTRUCT P.C.C. WALK WHEN SPECIFIED ON PLAN. THE CONTRACT PRICE PAID FOR P.C.C. WALK ITEM SHALL INCLUDE WALK CONSTRUCTED IN CONJUNCTION WITH PARKWAY CULVERT.
5. "N" EQUALS NUMBER OF PIPES (MAXIMUM OF THREE) AS SPECIFIED ON PLAN.
6. INLET CASE TO BE SPECIFIED ON IMPROVEMENT OR GRADING PLAN.
7. ANGLE "A" EQUALS 0°, UNLESS OTHERWISE SPECIFIED.
8. TYPE, DIMENSIONS AND ELEVATIONS OF P.C.C. CURB AND GUTTER PER IMPROVEMENT PLAN.
9. UNLESS OTHERWISE SPECIFIED, FRAME AND GRATE FOR CASE II INLET SHALL BE ALHAMBRA FOUNDRY 14"x14" A-2012 (GALVANIZED), LONG BEACH IRON WORKS, INC. X-311B (GALVANIZED) OR EQUAL.
10. AT LOCATIONS OF LESS THAN 8 INCH CURB FACE, USE 6X6-10/10 GALVANIZED WIRE FABRIC. WIRE FABRIC TO EXTEND 8 INCHES BEYOND THE EDGE OF CAST IRON PIPES.

AMERICAN PUBLIC WORKS ASSOCIATION - SOUTHERN CALIFORNIA CHAPTER

DRAWN NJG		CURB DRAIN	DATE 4/13/94
CHECKED NSH			SCALE NONE
APPR. <i>Bl Jensen</i>			REVISED 1992
DEPT. PUBLIC WORKS	CITY OF BUENA PARK	STD-214	20F2