



PARKWAYS LESS THAN 8'  
1 COVER REQUIRED  
CASE I: 1'6" X 3' TREE WELL  
CASE II: 2' X 4' TREE WELL



PARKWAYS 8' OR GREATER  
2 COVERS REQUIRED  
CASE III: 3' X 3' TREE WELL  
CASE IV: 4' X 4' TREE WELL


**TREE WELLS**



POROUS, PERMEABLE P.C.C.  
REINFORCED WITH 2 1/4" X 2 1/4"  
16 GAUGE WIRE MESH (SEE NOTE 6)

**POROUS TREE WELL COVER**

CASE	A	B	C	D	R
I	3'-0"	1'-6"	2'-11"	1'-5 1/2"	9"
II	4'-0"	2'-0"	3'-11"	1'-11 1/2"	15"
III	3'-0"	3'-0"	2'-11"	1'-5 1/2"	9"
IV	4'-0"	4'-0"	3'-11"	1'-11 1/2"	15"



**TYPICAL SECTIONS**

**NOTES:**

1. TREE WELLS SHALL BE SPACED AS DIRECTED OR INDICATED ON THE CONTRACT DOCUMENTS.
2. LOCATION OF TREE WELLS WILL BE SUBJECT TO THE FOLLOWING MINIMUM CONDITIONS:
  - A. 50' FROM THE BCR ON THE APPROACH TO AN INTERSECTION.
  - B. 15' FROM THE ECR ON THE EXIT FROM AN INTERSECTION.
  - C. 20' FROM LIGHT STANDARDS.
  - D. 10' FROM FIRE HYDRANTS.
  - E. 10' FROM DRIVEWAYS.
3. COVERS ARE TO BE COLORED BUFF USING AN ACCEPTABLE COLORING AGENT.
4. TREE WELLS ARE TO BE BACKFILLED WITH CLEAN DIRT AND FLUSH WITH ADJACENT WALK UNTIL TREES ARE PLANTED.
5. PARKWAYS LESS THAN 8': CASE I - UNLESS OTHERWISE SPECIFIED. CASE II - USE WHERE THERE'S AN EXISTING FENCE OR WALL AT THE PL. PARKWAYS 8' OR GREATER: CASE III - UNLESS OTHERWISE SPECIFIED. CASE IV - MAY BE SPECIFIED WITH WALKS 7' OR GREATER.
6. FOR MATERIAL SPECIFICATIONS, SEE NOTE 1 FOR TYPE 1 TREE WELL ON SHEET 4.

**TYPE 3**

A.P.W.A. STD. No. 519-1

**REVISIONS:**

APPROVED 08/21/01	 <i>City of La Quinta</i>	STANDARD
CHRIS A. VOGT CITY ENGINEER RCE 44250	<b>TREE WELL</b>	<b>705</b>
		SHEET 3 OF 6