


SECTION A-A

PLAN

STRUCTURAL DATA							
WALL AND SLAB DIMENSIONS AND REINFORCEMENT REQUIREMENTS							
MAX W	MAX V	T	T <sub>F</sub>	REINFORCEMENT REQUIRED IN			
				FRONT WALL	REAR WALL	BOTTOM SLAB	END WALL
3.5'	8'	6"	6"	NO REINFORCEMENT REQUIRED	REINFORCEMENT REQUIRED	REINFORCEMENT REQUIRED	REINFORCEMENT REQUIRED
3.5'	12'	8"	8"				
7'	6'	6"	6"				
7'	12'	8"	8"				
14'	4'	6"	6"				
	8'	6"	8"				
14'	12'	8"	10"				
21' AND 28'	4'	6"	6"				
	6'	6"	8"				
	8'	8"	8"				
	10'	8"	10"				
	12'	8"	10"				

FOR W>28', V>12' OR B>4' SEE PROJECT PLANS



**THE PORT OF LONG BEACH** ENGINEERING DIVISION

REVISIONS	
NO.	DATE
1	
2	
3	

CATCH BASIN NO. 1 CURB OPENING TYPE

STANDARD PLAN  
D-1

APPROVED BY: \_\_\_\_\_ R.E. NO.: \_\_\_\_\_ DATE: \_\_\_\_\_  
CHIEF HARBOR ENGINEER